

	Hits	Search Text	DBs
1	18489	database\$1 and partition\$4 and @ad < "20030408"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	718	1 and (partition\$4 with (id\$1 or identifier\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	27	2 and (partition\$4 with schema\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	26	3 and (quer\$4 or inquir\$4 or search\$4) and stor\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	7	4 and (database\$1 with (catalog\$1 or list\$1 or director\$3 or index\$4 or register\$4 or log\$4 or record\$4 or file\$1) with partition\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	7	5 and schema\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
7	4	6 and rout\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	2	7 and table\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	2	8 and quer\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	2	7 not 9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB